

CLINICAL
EEG
ELECTROENCEPHALOGRAPHY



**AUTHOR and
SUBJECT INDEX**

VOL. 9, 1978

INDEX OF AUTHORS

Altemus, L. Reed, 110
Anderson, Evelyn M., 105
Andy, O.J., 80
Bogart, Keith C., 181
Briggs, Russell C., 110
Carney, Andrew L., 105
Cayaffa, Juan J., 52
Chiappa, Keith H., 140
Davies, Robert K., 38
Erkulvrawatr, Samard, 173
Feldman, Robert G., 173
Garcia, Jr., Lovegildo S., 124
Ghazy, A., 60, 159
Gibbs, Frederic A., 13
Gilbert, Gordon J., 147
Golay, Sara, 96
Grass, Ellen R., 140
Grice, S. Tom, 69
Himmelhoch, Jonathan M., 38
Hooshmand, H., 118
Hughes, John R., 52
Jay, Sara, 186
Jordan, J. Eric, 69
Jurko, M.F., 80
Leemhuis, Andrew H., 10
Leschey, Jr., William H., 110
Lewis, Roy, 8
Lundervold, A., 60, 159
McFarland, H. Richard, 90
Merikangas, James R., 38
Milstein, Victor, 96, 186
Neil, John F., 38
Niedermeyer, E., 20, 96, 131
Niggl, Dennis, 96
Ohr, Jason T., 173
Ravindran, Madhavan, 29, 144, 170
Riley, T., 131
Ropper, Allan H., 140
Roseman, Ephraim, 124
Rudquist, Donald L., 6
Sax, Daniel S., 173
Schlagenhauff, R. E., 195
Schteingart, David E., 32
Shin, I., 195
Slettnes, O., 159
Small, Joyce G., 96, 186
Smith, David L., 181
Starkman, Monica N., 32
Stevens, Harold, 11
Strong, H.E., 195
Surwillo, Walter W., 124
Torres, Fernando, 5
Tucker, Richard P., 32
Veger, T., 60
Weinstein, Howard E., 32
White, David, H., 69
Yarworth, S., 20

INDEX OF SUBJECTS

Vol. 9, No. 1, 2, 3, 4, 1978

Abdominal symptoms and, 14&6 per second positive spikes, 52
—paroxysmal cerebral dysrhythmia, 29

Absence attacks and, carbamazepine treatment, 90, 92, 94
—CT with EEG in diagnosis, 160
—definition of epilepsy, 13
—14&6, 54
—(See also Petit mal seizures)

ACTH, and Cushing's syndrome, 32-37

Activation of EEG, with Brietal and Pentetrazol, 60-68

Adrenal disease, and Cushing's syndrome, 32

Age factor and, EEG interpretation, 118-121
—14 & 6, 52-59, 134
—heart rate changes from hyperventilation, 73
—minor EEG abnormalities in infancy and early childhood, 20-28

Aggression and, EEG findings in episodic violent behavior, 131-139
—psychosis with neuroleptic drugs, 43

Alcoholism and, CT with EEG in epilepsy diagnosis, 160, 162, 164, 167
—malpractice claims, 7

Alpha activity and, blink reflexes, 178
—Cushing's syndrome, 32
—hyperkinetic children with stimulant drugs, 190-193
—mu rhythm, 181-185

Alpha chloralose, and paroxysmal dysrhythmia in psychotics, 45
—rage attacks, 134

American EEG Society, and EEG standards in medical legal cases, 7, 8, 15, 17

American Medical EEG Association, and EEG standards, 8, 17
—1978 annual meeting, 3

Amnesia, transient global, and medial temporal lobe epilepsy, 147-152

Amphetamine, and hyperkinetic children, 186, 193

Amplitude changes, (See Asymmetry, Electrodecremental seizures, Electrical silence, Flattening, and Isoelectric EEG)

Aneurysm and, CT with EEG in epilepsy diagnosis, 160, 162, 164
—mu rhythm, 181

Announcements, American Medical EEG Assoc. 1978 annual meeting, 3
—certification for American Board of EEG, 103

Anterior temporal localization, and rage attacks, 133, 134
—spikes, 133, 134
—(See also Temporal localization)

Anticonvulsants and, amnesia, 150
—carbamazepine treatment of seizures, 90-95
—focal cerebral dysrhythmia with headache, 30, 31
—psychosis, 45
—rage attacks, 134

Anxiety, and 14&6, 56, 59

Aplastic anemia, and carbamazepine, 90

Artifact and, EEG interpretation, 118, 121, 123
—EKG monitoring in EEG lab, 69-79
—medical legal cases, 6
—neuroleptic facilitated EEG, 38
—non-cephalic reference electrode, 140-143

Asymmetry and, artifact interpretation, 118
—dialysis encephalopathy, 196
—hyperkinetic children with stimulant drugs, 191
—infancy and early childhood, 22
—seizures with carbamazepine treatment, 93

Atrophy, cortical, and CT with EEG in epilepsy diagnosis, 161, 162, 164, 165, 168
—unilateral mu, 181

Behavior problems and, carbamazepine, 93, 94
—14&6, 52

Bemegride, and paroxysmal dysrhythmia in psychosis, 45

Bender Gestalt test, and normal pressure hydrocephalus, 111-113

Beta activity and, blink reflexes, 178
—Cushing's syndrome, 32-37
—EEG interpretation, focal, 121-123
—(See also Fast activity)

Blackouts, and 14&6, 52, 53, 55, 56, 59

Blink reflexes, cyclic alterations, and EEG and EMG study during wakefulness and sleep, 173-180

Bradyrhythmia, anterior, and FIRDA, 115

Brain death, and medical legal cases, 6-11, 14, 16, 19

Brain stem, and blink reflexes, 173, 178

Brietal, and activation of EEG with Pentetrazol, 60-68

Calcium, serum, and multiple myeloma with status epilepticus, 144, 145

Carbamazepine and, psychosis, 44

- treatment of single and compound seizures, 90-95
- Cardiac disease**, and EKG monitoring in the EEG lab, 69-79
- Carotid artery**, occlusion and carotid distal vertebral bypass, case report and technique, 105-109
- Centrencephalic discharges** and, activation with Brietal and Pentetrazol, 60
 - EEG interpretation, 120
- Cerebral palsy** and, EEG findings in infancy and early childhood, 20, 21, 26
- Cerebrovascular etiology** and, CT with EEG in epilepsy diagnosis, 160-162, 164, 167
 - FIRDA, 115
 - (See also Vascular)
- Children**, and the scarcity of minor EEG abnormalities during the first two years of life, 20-28
 - hyperkinesis with stimulant drug therapy, 186-194
- Chlordiazepoxide**, and Cushing's syndrome, 37
- Chlorobenzilate poisoning**, and toxic encephalopathy, 170-172
- Chlorpromazine**, and psychotics with EEG, 45
- Coma** and, blink reflex, 173
 - chlorobenzilate poisoning, 170, 172
 - medical legal cases, 8, 9
- Computer analysis** and, EEG dysrhythmia, 124-130
 - malpractice cases, 7, 11
 - rage attacks, 134, 135
- Computerized transaxial tomography** and, chlorobenzilate poisoning, 170, 172
 - epilepsy diagnosis, 159-169
 - normal pressure hydrocephalus, 111, 113, 115, 116
- Concept Level Analogy Test (CLAT)**, and EEG in psychiatric patients, 96-100
- Conceptual thinking**, and EEG in psychiatric patients, 96-100
- Contraceptive pill**, and drug reactions in medical legal cases, 14
- Control subjects** and, 14&6, 53-58
 - hyperkinetic children with stimulant drug therapy, 188, 189, 193
 - sociopaths with EEG abnormality, 134, 136
- Convulsions** and, dialysis encephalopathy, 195-197
 - (See also Grand mal and Seizures)
- Cortisol levels**, and EEG changes in Cushing's syndrome, 32-37
- Cushing's syndrome** and, serum cortisol levels and EEG changes, 32-37
 - photic driving, 32
- Cylert**, and hyperkinetic children, 186-194
- Cyst** and, CT with EEG in epilepsy diagnosis, 162, 165, 166
 - malpractice claims, 7
- Degenerative disorders**, and FIRDA, 115
 - Jakob Creutzfeldt disease, 161, 162
- Delta activity** and, amnesia, 151
 - artifact, 118, 119
 - Brietal and Pentetrazol activation of seizures, 62, 63, 67
 - CT with EEG in epilepsy diagnosis, 161-166
 - Cushing's syndrome, 34
 - dialysis encephalopathy, 196-200
 - EKG monitor with hyperventilation, 70
 - 14&6, 56
 - hydrocephalus, 110-117
 - misinterpretation, 119
 - quantification of EEG abnormalities, 20, 22, 26
 - rage attacks, 133
 - (See also Slow activity)
- Dementia** and, CT with EEG in epilepsy diagnosis, 160-162, 165
 - dialysis encephalopathy, 195-200
 - normal pressure hydrocephalus, 110, 111
- Depression**, and 14&6, 56, 59
- Depth recording** and, aggressive behavior, 134
 - K-complex, 80-89
- Diabetes**, and dialysis encephalopathy, 197
- Dialysis encephalopathy**, and value of EEG, 195-200
- Diazepam** and, Brietal and Pentetrazol activation of seizures, 61
 - Cushing's syndrome, 37
- Dichloro Diphenyl Trichloroethane**, and toxic encephalopathy, 170, 172
- Diencephalon** and, 14&6, 52
 - K-complex, 87
 - rage attacks, 131
- Dilantin** and, focal cerebral dysrhythmia with headache, 30, 31
 - rage, 134
- Disequilibrium syndrome**, and dialysis dementia, 195
- Dizziness** and, carbamazepine treatment of seizures, 93
 - 14&6, 52, 53, 55, 56, 58, 59
 - paroxysmal cerebral dysrhythmia, 29, 31
- Drugs** and, activation of EEG with Brietal and Pentetrazol, 60-68
 - amnesia, 150
 - carbamazepine treatment of seizures, 90-95
 - chlorobenzilate poisoning, 170-172
 - CT with EEG in epilepsy diagnosis, 160, 162, 164, 167
 - Cushing's syndrome, 32-37
 - dialysis syndrome, 196, 200
 - hyperkinetic children, 186-194
 - isoelectric EEG, 9
 - medical legal cases, 9, 12-14
 - neuroleptic facilitated EEG in psychiatric

- patients, 38-48
 - rage attacks, 132-134
- Dysrhythmia** and, headache, focal cerebral, 29-31
 - interval histogram analysis, 124-130
 - quantification of EEG abnormalities, 20
- Edema**, cerebral, and, hydrocephalus with FIRDA, 110-117
 - toxic encephalopathy, 170, 172
- EEG report**, and a look at interpretation, 118-123
- EKG** and, artifact with non-cephalic reference electrode, 140-143
 - monitoring in EEG lab, 69-79
- Electrical silence** and, brain death in medical legal cases, 7
 - non-cephalic reference electrode, 141
- Electrodecremental seizures**, and EEG interpretation, 121
- Electrodes** and, artifact interpretation, 118
 - rage attacks, 122
 - Stephenson-Gibbs non-cephalic reference, 140-143
 - transient global amnesia, 147-152
- Electro-oculogram (EOG)**, and blink reflexes during wakefulness and sleep, 173-180
- EMG**, and cyclic alterations of blink reflexes during wakefulness and sleep, 173-180
- Emotional instability** and, episodic violent behavior, 131-139
 - 14&6, 52, 56, 59
 - limbic system, 131
 - (See also Psychiatric patients)
- Encephalitis** and, CT with EEG in epilepsy diagnosis, 160, 162, 167
 - EEG findings in infancy and early childhood, 20, 21
- Epilepsy** and, aggression, 131, 134, 136
 - Brietal and Pentetrazol activation, 60-68
 - computerized transaxial tomography in diagnosis, 159-169
 - FIRDA, 115
 - 14&6, 52
 - medical legal cases, 11, 13
 - petit mal misinterpretation, 120
 - psychotic patients, 38, 39
 - transient global amnesia, 147-152
 - (See also Seizures)
- Exceedingly fast activity**, and psychosis, 40
- Extreme spindles** and, conceptual thinking in psychiatric patients, 98
 - hyperactive children with stimulant drugs, 188, 190, 191
- Eye movement** and, blink reflexes, 173-180
 - artifact interpretation, 118, 119
- Fast activity** and, blink reflexes, 178
 - Cushing's syndrome, 32-37
 - EEG interpretation, focal, 121-123
 - infancy and early childhood, 22
 - psychosis, 40
- Febrile convulsions** and, carbamazepine, 91
 - minor EEG abnormalities in infancy and early childhood, 21, 22, 24, 25
 - psychosis with neuroleptic drugs, 43
- FIRDA**, and periventricular edema in normal pressure hydrocephalus, 110-117
- Flattening** and, brain death in medical legal cases, 7, 9, 10, 16
 - electrodecremental seizures, 121
 - infancy and early childhood, 22
 - non-cephalic reference electrode, 141
- Focal seizures** and, Brietal and Pentetrazol activation, 62, 63
 - CT with EEG in diagnosis, 160, 164
 - multiple myeloma, 144-146
 - unilateral mu rhythm, 181
- Fourteen and six per second positive spikes**, and, adults, 52-59
 - hyperkinetic children with stimulant drugs, 188, 189, 191
 - non-convulsive symptoms, 29
 - psychotics, 40, 97, 98
 - rage attacks, 132-134
- Frontal localization** and, CT with EEG in epilepsy diagnosis, 163-167
 - dialysis encephalopathy, 196-200
 - intermittent rhythmic delta in periventricular edema and normal pressure hydrocephalus, 110-117
 - rage attacks, 133
 - spikes, 29, 133, 164, 165, 167, 197, 199
 - tumor, 163
- Gait disturbance**, and normal pressure hydrocephalus, 110, 111, 113, 115
- GI complaints** and, carbamazepine treatment of seizures, 93
 - 14&6, 55, 56, 58, 59
- Grand mal seizures** and, Brietal and Pentetrazol activation, 61-66
 - chlorobenzilate poisoning, 170, 172
 - CT with EEG in diagnosis, 160, 163-168
 - 14&6, 54
 - unilateral mu, 181
- Hallucinations** and, neuroleptic drugs, 41-43
- Head Injury** and, medical legal cases, 11-15
 - psychosis with neuroleptic drugs, 43
 - (See also Trauma)
- Headache** and, carbamazepine treatment of seizures, 93
 - dialysis encephalopathy, 195
 - focal cerebral dysrhythmia, 29-31
 - 14&6, 52-59
 - medical legal cases, 8
- Hemiparesis**, and carotid occlusion, 105
- Hemodialysis** and, value of EEG with encephalopathy, 195-200
- Histogram**, interval analysis in the objective assessment of EEG dysrhythmia, 124-130
- Hydrocephalus** and, CT with EEG in epilepsy diagnosis, 165-167

- malpractice claims, 7
- periventricular edema with FIRDA, 110-117
- Hypercalcemia**, and multiple myeloma, 145, 146
- Hyperkinetic children**, and stimulant drug therapy, 186-194
- Hyperventilation** and, conceptual thinking in psychiatric patients, 97
 - EEG interpretation, 118
 - EKG monitoring, 70, 72, 73, 77, 78
 - hyperkinetic children with stimulant drug therapy, 188, 189, 191, 192
- Hypocalcemia**, and multiple myeloma, 146
- Hypothermia**, and isoelectric EEG, 9
- Hypothyroidism**, and EKG monitoring with EEG, 73, 74
- Hypsarrhythmia**, and infancy and early childhood, 22
- Infancy**, and scarcity of minor EEG abnormalities, 20-28
- Infarction**, cerebral, and carotid distal vertebral bypass, 105-109
- Insecticides**, and toxic encephalopathy, 170-172
- Interpretation**, and EEG reports, 118-123
- Irritability** and, neuroleptic drugs, 41-44
- Ischemia**, and amnesia, 148, 151
- Isoelectric EEG**, and brain death in medical legal cases, 9, 10, 16
 - (See also Flattening)
- Jakob Creutzfeldt disease**, and CT with EEG in epilepsy diagnosis, 161, 162
- K-complex**, and thalamic depth recordings, 80-89
- Kidney disease**, and dialysis encephalopathy, 195-200
- Learning disability**, and stimulant drug therapy in hyperkinetic children, 187
- Lethargy**, and dialysis syndrome, 197
- Leukopenia**, and carbamazepine, 91
- Limbic system**, and rage attacks, 131-136
- Magnesium pemoline**, and hyperkinetic children, 186-194
- Malpractice**, and medical legal parameters, 6-19
- Manic symptoms**, and neuroleptic drugs, 45
- Mediation panel**, and medical legal cases, 17, 18
- Medical legal parameters** and clinical electroencephalography, 5-19
 - seizures, 60, 67
- Memory deficit** and, CT with EEG in epilepsy diagnosis, 160-162, 165
 - dialysis encephalopathy, 195-200
 - normal pressure hydrocephalus, 110, 111, 115
 - transient global amnesia with medial temporal lobe epilepsy, 147-152
- Meningoencephalitis**, and seizures with car-
- bamazepine, 92
- Mental retardation** and, malpractice claims, 7
 - minor EEG abnormalities in infancy, 21
- Mephobarbital**, and carbamazepine with seizures, 91
- Metabolic disorder** and, FIRDA, 115
 - multiple myeloma with status epilepticus, 144, 146
 - slowing with EKG monitor, 73
- Methohexitone** and, activation of EEG with pentetrazol, 60-68
- Methyldopa**, and Cushing's syndrome, 35, 37
- Methylphenidate** and, hyperkinetic children, 186, 193
 - rage attacks, 132
- Metrazol** and, activation of EEG with Brietal, 60-68
 - rage attacks, 133
 - stimulant drugs with hyperkinetic children, 186, 193
- Migraine**, and cerebral dysrhythmia, 30
- Minimal brain dysfunction** and, psychosis with neuroleptic drugs, 45-47
 - stimulant drug therapy in hyperkinetic children, 186, 187
- Mitten pattern** and, psychiatric patients, 40, 98
- Mu rhythm**, and clinical correlates of unilateral activity, 181-185
- Multiple myeloma** and, dialysis encephalopathy, 195-200
 - status epilepticus, 144-146
- Myoclonic seizures** and, dialysis encephalopathy, 195, 197
 - treatment of seizures with carbamazepine, 92
- Nasopharyngeal electrodes** and, rage attacks, 122
 - transient global amnesia, 147-152
- Nausea and vomiting** and, 14&6, 52, 53, 55
 - paroxysmal cerebral dysrhythmia with headache, 29, 30, 31
- Neuroleptic-facilitated EEG**, validity and clinical utility in psychotic patients, 38-48
- Neurosis** and, epileptic discharges, 134
- Neurovegetative symptoms**, and 14&6, 52-59
- Nightmares**, and psychosis with neuroleptic drugs, 43
- Non-cephalic reference electrode**, Stephenson-Gibbs system, 140-143
- Normal EEG** and, amnesia, 147, 150, 151
 - Brietal and Pentetrazol activation, 62-66
 - Carbamazepine treated seizures, 93, 94
 - Cushing's syndrome, 32, 33, 37
 - emotional symptoms, 52, 54-57
 - histogram analysis, 126, 127, 129, 130
 - hydrocephalus, 110-116
 - hyperkinetic children, 186, 189-192
 - hyperventilation with EKG monitor, 70
 - impulsive behavior, 134
 - infancy and early childhood, 20-27

- medical legal cases, 6
- misinterpretation, 119
- psychosis with drugs, 40, 41, 45-47
- rage attacks, 132, 133
- Occipital localization** and, positive waves misinterpretation, 118
- seizures with headache, 29-31
- spikes, 29, 31
- Occlusion**, carotid, and carotid distal vertebral bypass, 105-109
- Orbicularis oculi reflex**, and EEG and EMG during wakefulness and sleep, 173-180
- Pain** and, chlorobenzilate poisoning, 170, 172
 - paroxysmal cerebral dysrhythmia, 29
- Paranoia**, and neuroleptic drugs, 42
- Parietal localization** and, mu rhythm, 184
 - rage attacks, 132-135
 - spikes, 132-135
- Paroxysmal cerebral dysrhythmia** and, episodic symptoms, 13
 - neuroleptic drugs in psychotics, 41, 45
- Partial seizures** and, carbamazepine, 90-92
 - 14&6, 54
 - unilateral mu rhythm, 181
- Pentetrazol**, and activation of EEG with Brietal, 60-68
- Pentylenetetrazole**, and psychosis with paroxysmal dysrhythmia, 45
- Petit mal seizures** and, Brietal and Pentetrazol activation, 60, 62, 63, 67
 - carbamazepine, 90, 92, 94
 - CT with EEG, 160
 - 14&6, 54
 - interpretation, 120, 121
- Phenobarbital** and, carbamazepine with seizures, 90, 91, 94
 - headache, 30
- Phenothiazine** and, hyperactive children, 187
 - psychosis with paroxysmal dysrhythmia, 45
 - schizophrenia, 38
- Phenytoin**, and carbamazepine treatment of seizures, 90, 91, 94
- Phobias**, and psychosis with neuroleptic drugs, 43
- Photic stimulation** and, amnesia with temporal focus, 149, 150, 152
 - Cushing's syndrome, 32-34
 - hydrocephalus, 110
 - hyperkinetic children, 186, 189, 192, 193
 - misinterpretation, 119
- Pituitary gland**, and Cushing's syndrome, 32, 35
- Polyspike and wave**, and carbamazepine with seizures, 91, 93, 94
- Positive spikes** and, adults, 52-59
 - psychiatric patients, 97, 98
 - (See also Fourteen and Six)
- Premature newborns**, and normative EEG data, 20
- Primidone**, and carbamazepine with seizures, 90, 91, 94
- Prisoners**, and violent crimes, 131
- Psychiatric patients** and, conceptual thinking, 96-100
 - 14&6, 52-59
- medical legal cases, 11
- neuroleptic-facilitated EEG, 38-48
- rage attacks, 132, 134
- temporal lobe epilepsy, 134
- Psychogenic fits**, and activation with Brietal and Pentetrazol, 61-67
- Psychometrics**, and normal pressure hydrocephalus, 111, 112, 113
- Psychomotor seizures** and, CT with EEG, 160, 164-166
 - 14&6, 54
 - status, EEG interpretation, 120, 121
- Psychomotor, variant discharges**, and non-convulsive symptoms, 29
- Psychopaths**, and rage attacks, 132, 134
- Psychotic patients**, and neuroleptic facilitated EEG, validity and clinical utility, 38-48
 - (See also Psychiatric patients)
- Pulse artifact**, and EEG interpretation, 118
 - (See also EKG)
- Rage attacks**, and episodic violent behavior, EEG findings and general considerations, 131-139
- Reference electrode** and, Stephenson-Gibbs non-cephalic system, 140-143
- REM sleep**, and blink reflexes, 174-178
- Reticular activating system**, and blink reflexes, 178
 - K-complex, 87
- Round-table discussion**, medical legal parameters in clinical electroencephalography, 5-19
- Rythme rolandic en arceau**, and correlates of unilateral activity, 181-185
- Schizophrenia** and, neuroleptic-facilitated EEG, 38-48
 - temporal lobe epilepsy, 134
- Sebaceous adenoma**, and CT with EEG in epilepsy diagnosis, 165, 167
- Seizures** and, activation with Brietal and Pentetrazol, 60-68
 - aggression, 131, 134, 136
 - amnesia, 147-152
 - carbamazepine treatment 90-95
 - chlorobenzilate poisoning, 170, 172
 - CT with EEG in diagnosis, 159-169
 - Cushing's syndrome, 32
 - dialysis encephalopathy, 195-197
 - FIRDA, 115
 - focal slow waves, 29, 31
 - 14&6, 52, 54, 55
 - medical legal cases, 11, 13
 - minor EEG abnormalities in infancy and childhood, 21-26

- multiple myeloma, 144-146
- petit mal interpretation, 120, 121
- photo-conulsive interpretation, 119
- psychomotor status interpretation, 120, 121
- psychosis, 38, 39, 43
- tumor, 162, 163
- unilateral mu rhythm, 181
- (See also Absence, Febrile, Focal Grand mal, Myoclonic, Partial, Petit mal, Photo-conulsive, Psychomotor, and Temporal lobe seizures, as well as Status epilepticus)
- Serum cortisol levels**, and Cushing's syndrome, EEG changes, 32-37
- Sex ratio**, and 14&6, 54, 55, 59
- Sharp waves** and, amnesia, 151
 - Brietal activation, 63, 64
 - CT with EEG in epilepsy diagnosis, 161, 163, 164, 167
 - Cushing's syndrome, 34, 35, 37
 - dialysis encephalopathy, 197, 199, 200
 - EKG artifact, 73, 75
 - 14&6, 53-59
 - occipital, misinterpretation, 118
 - psychotics, 40, 41
 - rage attacks, 132, 133
- Shunt**, and normal pressure hydrocephalus with FIRDA, 110, 113, 115, 116
- Sickle cell disease**, and hyperventilation, 78
- Six per second spike and wave discharges**
 - and, conceptual thinking in psychiatric patients, 98
 - 14&6, 56, 58
 - non-convulsive symptoms, 29
- Sleep deprivation**, and transient global amnesia, 147-152
- Sleep EEG** and, activation, 60, 67
 - blink reflexes, 173-180
 - hydrocephalus, 110
 - hyperkinetic children with stimulant drugs, 191, 193
 - interpretation, 118
 - neuroleptic drugs in psychotic patients, 38
 - minor EEG abnormalities in infancy and early childhood, 26
 - thalamic depth recording with K-complex, 80-89
 - (See also Spindles)
- Slow activity** and, activation of EEG with Brietal and Pentetrazol, 61-63, 67
 - amnesia, 151
 - artifact, 118, 119
 - carbamazepine with seizures, 93, 94
 - chlorobenzilate poisoning, 170-172
 - CT with EEG in seizure diagnosis, 161-166
 - Cushing's syndrome, 32-37
 - dialysis encephalopathy, 196-200
 - EKG monitor with hyperventilation, 70,
- 73, 74
- 14&6, 53, 56-59
- headache, 29-31
- hydrocephalus, normal pressure, 110-117
- hyperactive children with stimulant drugs, 188-191
- hypothyroid, 73, 74
- interpretation, 20, 22, 26, 118, 119
- K-complex, 88, 89
- mu rhythm, 184
- multiple myeloma, 145
- psychotics with neuroleptic drugs, 39-41, 45
- rage attacks, 132, 133
- (See also Delta and Theta activity, and FIRDA)
- Small sharp spikes** and, carbamazepine treatment of seizures, 93
- conceptual thinking in psychiatric patients, 98
- Cushing's syndrome, 34
- hyperkinetic children with stimulant drugs, 191
- Spectral analysis**, and EEG in infancy and childhood, 20, 26
 - (See also Computer analysis)
- Speech disorder** and, carotid occlusion, 105
 - dialysis encephalopathy, 195, 197, 198, 200
- Sphenoidal electrodes**, and amnesia, 151
- Spike and wave discharges** and, activation with Brietal and Pentetrazol, 61-67
 - carbamazepine with seizures, 91, 93, 94
 - CT with EEG in epilepsy diagnosis, 161, 162
 - Cushing's syndrome, 34, 37
 - 14&6, 56, 58
 - hyperkinetic children, 188, 189, 191
 - infancy and childhood, 22
 - interpretation, 118, 120, 121
 - multiple myeloma, 145
 - non-convulsive symptoms, 29
 - psychiatric patients, 41, 45, 97, 98
 - transient global amnesia, 148-150
 - (See also Polyspike and wave, Six per second spike and wave, and Three per second spike and wave discharges)
- Spikes** and, activation with Brietal and Pentetrazol, 61-63
 - carbamazepine with seizures, 91, 93, 94
 - CT with EEG in epilepsy diagnosis, 161-163, 165
 - Cushing's syndrome, 34
 - dialysis encephalopathy 197, 199
 - 14&6 in adult, 53-59
 - hyperkinetic children, 188, 189, 191
 - interpretation, 120, 121
 - non-convulsive symptoms, 29
 - psychiatric patients, 40, 41, 45, 97, 98
 - rage attacks, 132-135

- transient global amnesia, 147-152
- tumor, 163
- (See also Anterior temporal, Frontal, Occipital, Parietal, Temporal localization, 14 & 6, Hypsarrhythmia, Psychomotor variant, Small sharp spikes, as well as Spike and wave discharges)
- Spindles** and, conceptual thinking in psychiatric patients, 98
- hyperactive children with stimulant drugs, 188, 190, 191
- K-complex, 88
- rage attacks, 132, 133
- Standards, EEG, and medical legal cases**, 7, 8, 12, 14, 16, 17
- Status epilepticus** and, Cushing's syndrome, 32
 - multiple myeloma, 144-146
- Stephenson-Gibbs non-cephalic reference electrode**, 140-143
- Subdural hematoma**, and medical legal cases, 8
- Syncope**, and activation of EEG with Brietal and Pentetrazol, 61
 - (See also Blackout)
- Syphilitic meningoencephalitis**, and CT with EEG in epilepsy diagnosis, 161
- Technology**, EEG, and, medical legal parameters, 5, 6
 - interpretation, 121
- Tegretol**, and treatment of single and compound seizures, 90-95
- Temporal lobe seizures** and, activation with Brietal and Pentetrazol, 60, 62-64
 - aggression, 131, 136
 - CT with EEG, 160
 - transient global amnesia, 147-152
 - tumor, 162, 163
 - (see also Psychomotor seizures)
- Temporal localization** and, CT with EEG in epilepsy diagnosis, 164
 - Cushing's syndrome, 34
 - 14&6, 56
 - headache, 30
 - rage attacks, 132-134
 - seizures, 29, 31 (see Temporal lobe seizures)
 - spikes, 29, 31, 132-134, 147-152, 164
 - transient global amnesia, 147-152
- Thalamus** and, FIRDA, 115
 - K-complex depth recordings, 80-89
- Theta activity** and, Brietal and Pentetrazol activation of seizures, 61, 62, 63, 67
- chlorobenzilate poisoning, 172
- CT with EEG in epilepsy diagnosis, 161-166
- Cushing's syndrome, 32-35
- 14&6, 56
- hydrocephalus, 110
- hyperventilation with EKG monitor, 70, 73, 74
- hypothyroidism, 73, 74
- mu rhythm, 184
- rage attacks, 132, 133
- (See also Slow activity)

Three per second spike and wave discharges, and misinterpretation, 120

Toxic encephalopathy and, chlorobenzilate poisoning, 170-172

- hydrocephalus with FIRDA, 115, 116

Trauma and, carbamazepine, 92

- CT with EEG in epilepsy diagnosis, 160, 162, 163, 165, 167
- EEG findings in infancy and early childhood, 20, 21
- FIRDA, 115
- medical legal cases, 11-15
- psychosis with neuroleptic drugs, 43

Tumor and, activation of EEG with Brietal and Pentetrazol, 61

- CT with EEG in epilepsy diagnosis, 160, 162, 163, 164, 167
- Cushing's syndrome, 32, 35
- hydrocephalus with FIRDA, 115
- malpractice claims, 7
- unilateral mu, 181

Vascular disease and, amnesia, 148, 151

- carotid distal vertebral bypass, 105-109
- CT with EEG in epilepsy diagnosis, 160-162, 164
- EKG monitoring in EEG lab, 69-79
- FIRDA, 115
- medical legal cases, 8
- unilateral mu rhythm, 181

Vertebral artery, and carotid distal vertebral bypass for carotid occlusion, 105-109

Violent behavior, episodic, and EEG findings and general considerations, 131-139

Wechsler Adult Intelligence Scale and, normal pressure hydrocephalus, 112, 113

- thalamotomy with K-complex, 80

Whiplash injury, and medical legal cases, 11

Willner-Sheerer Analogy Test (WSA), and EEG in psychiatric patients, 96-100

CLINICAL ELECTROENCEPHALOGRAPHY

©1978.VOL.9



